




FLOW FOR MANUSCRIPT PUBLICATION





**FLOW FOR
ORAL PRESENTATION & E-POSTER DISPLAY**

SUBMIT PRESENTATION FILE
upon approval via
<https://forms.gle/eJhx3CVhGNBwfMN27>



**PPTX SLIDE
PRESENTATION**



PRESENTATION SCHEDULE



**ORAL PRESENTATION
WITH JUDGES**



**ANNOUNCEMENT OF
ORAL PRESENTATION
WINNER**



JPEG E-POSTER



**JUDGING E-POSTER. NO
PRESENTATION**



E-POSTER PANEL DISPLAY



**ANNOUNCEMENT OF E-
POSTER WINNER**

IMPORTANT DATE

IMPORTANT DATE

DETAILS	IMPORTANT DATE
Open Registration as Participants	1 February 2025
Open for Abstract Submission	1 February 2025
Close for Abstract Submission	30 April 2025
Decision for Abstract Submission	15-31 May 2025
Deadline for e-Poster Submission	20 June 2025
Deadline for Slide Presentation Submission	30 June 2025



GUIDELINE FOR ABSTRACT SUBMISSION

General

- The abstract must be submitted in MS Word Format (PDF format is not accepted).
- The abstract must be written in British English language.
- Font type: Trebuchet MS.
- The abstract should not exceed 3 pages (including graphs, images and tables).
- The total word count should be in between 500 to 1000 words.
- The full term for which an abbreviation or acronym stands should precede its first use unless it is a standard use or unit of measurement.


Abstract Layout

- Size of the font
 - Title : 14.0 point
 - Authors list : 12.0 point
 - Affiliations : 11.0 point
 - Corresponding author's email : 11.0 point
 - The main text of abstract : 12.0 point
- Single-line spacing and aligned “justified”.
- Margins for left, right, top and bottom should be 2.54 cm (1 inch).

Format

Extended abstracts should follow the structured format; with the subheadings of

1. Summary : max 100 words
2. Keywords : 5 keywords
3. Introduction : max 150 words
4. Materials and Methods : max 150 words
5. Results and Discussion : max 300 words
6. Conclusion : max 50 words
7. Acknowledgments : optional
8. References : max 5 references
9. References Style : Modified Vancouver.



Figures & Tables

- Maximum of 3 figures that include any combination graphs, images and tables
- Graphs and images should be in an acceptable resolution range (at least 300 dpi).
- Tables should be formulated in MS Word and not in an image format.
- Figures and tables should be incorporated into the text.



STEP BY STEP FOR AUTHORS

PROCESS	DETAILS	STATUS	NOTIFY BY EMAIL	DOCUMENT
Registration	<ul style="list-style-type: none"> - Register as presenter & complete payment 	Presenter	Ticket & Payment Receipt	Ticket & Payment Receipt
Submission	<ul style="list-style-type: none"> - Sign in to https://pppkam.org.my/abstract-submission/ with registered email & password - Click NEW MANUSCRIPT at Dashboard - Select Topic - Fill up Author & Presenter Info - Select Presenter Preference - Fill up the manuscript title - Fill up the manuscript content (max 1000 words) - Fill up keywords - Rename file to "New <ddmmyyyy> <Abstract Title>" - Attach FULL manuscript - SUBMIT manuscript 	New Status: Pending Assign to Reviewer	Acknowledgement of Manuscript Submission	Attached New Manuscript

Sign in to <https://pppkam.org.my/abstract-submission/> with registered email & password

Please sign in for your conference participation

Sign In [Forgot Password](#) [Reset](#)

Registered Username

Registered Password

Remember Me

Click “New Manuscript” at Dashboard

[Dashboard](#) [+ New Manuscript](#) [My Profile](#) [Logout](#)

My Abstracts

ID	Title	Review	Status	Preference	Submit Date	Action
You have NOT submitted any abstracts.						

Dashboard My Profile Logout

New Manuscript Submit

Manuscript Information

Enter Title **Title**

Visual Text

Paragraph B I [List Icons]

Manuscript Content

Words Used: 0 Words Remaining: 1000

Keywords

Enter comma separated keywords **Keyword**

Attachments

Use this form to upload your images, photos or tables.
Supported formats: **doc, docx**
Maximum attachment size: **5MB**

Choose File	No file chosen	Attach file.	<input type="button" value="X"/>
Choose File	No file chosen	Name the file properly	<input type="button" value="X"/>
Choose File	No file chosen		<input type="button" value="X"/>

Event Information

Event 12th National Public Health Conference in conjunction with 26th NIH Scientific Conference

Topic

Select **Select Topic**

Author Information + -

Author Name
Fill up Author Info

Author Email

Author Affiliation

Presenter Information + -

Presenter Name
Fill up Presenter Info

Presenter Email

Presenter Preference

Select **Select Preference**

- a. Select Topic
 - Epidemiology (NCD/CD)
 - Family Health/Health Service Management
 - Occupational Health/Environmental Health/Social and Behavioral Science/Others
- b. Fill up Author & Presenter Info
 - Name
 - Email
 - Affiliation
- c. Select Presenter Preference
 - Oral Presentation
 - e-Poster
- d. Fill up the manuscript title
- e. Fill up the manuscript content (max 1000 words)
- f. Fill up keywords
- g. Rename file to "New <ddmmyyy> <Abstract Title>"
- h. Attach FULL manuscript
- i. SUBMIT manuscript

New Manuscript

Manuscript Information

Visual Text

Paragraph **B** *I* U **□** “ ”      

Summary

Point-of-care testing (POCT) is essential for on-site diagnosis and quicker turn-around time for treatment because of its portability and mobility. This study aimed to determine the reliability and validity of Clover A1c analyser in measuring blood HbA1C. Diagnostic performance was measured using sensitivity, specificity, positive predictive value (PPV) and negative predictive value (NPV). Good agreement could be seen in all parameters of measurements, although the agreement between capillary versus laboratory blood results showed a slightly better agreement. The Clover A1c analyser is a POCT analyser that is accurate and dependable and may be used in both clinical and public settings.

Keywords

OK + 12

Words Used: 829

Words Remaining: 171

Keywords

Attachments



Use this form to upload your images, photos or tables.

Supported formats: **doc, docx**Maximum attachment size: **5MB** Sample of Extended Abstract 12NPHC.docx  No file chosen  No file chosen 

Event Information

Event 12th National Public Health Conference in conjunction with 26th NIH Scientific Conference

Topic

Author Information  

Author Name

Author Email

Author Affiliation

Presenter Information  

Presenter Name

Presenter Email

Presenter Preference

Author still can edit the submission before the status change to “Under Review”

Dashboard + New Manuscript My Profile Logout

My Abstracts

Show entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	No reviews as yet.	Pending to Assign Reviewer	Oral presenter	25 January 2025 2:41 AM	1 Edit Delete

PROCESS	DETAILS	STATUS	NOTIFY BY EMAIL	DOCUMENT
Under Review	<ul style="list-style-type: none"> - Check out status change by system from dashboard - Waiting for reviewer response - Cannot amend the manuscript during this phase 	Under Review	Notification: Manuscript is Under Review	
Need Amendment	<ul style="list-style-type: none"> - View and check manuscript from dashboard - Amend as per feedback within a week - Use track changes document for easy tracking - REMOVE File & REPLACE with UPDATE latest file - Rename file to "Amended <ddmmyyyy> <Abstract Title> - Attach FULL amended manuscript - SUBMIT manuscript - Status changed from Need Amendment → Pending Assign Reviewer 	Need Amendment	Notification: Request to Amend Manuscript	"Amended <ddmmyyyy> <Abstract Title>

Author cannot amend the submission before the status change to “Under Review”

Dashboard + New Manuscript My Profile Logout

My Abstracts

Show **10** entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	No reviews as yet.	Under Review	Oral presenter	25 January 2025 2:41 AM	1 View

When the status change to “Need Amendment”, author can view reviewer feedback under column “Review” and edit the manuscript accordingly

Dashboard + New Manuscript My Profile Logout

My Abstracts

Show 10 entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1c Point-of-Care testing (Clover Alc)	1. Please amend <recommendation / feedback>. Kindly rename file to "Amended <ddmmyyyy> <Abstract Title> by and submit within before <date>	Need Amendment	Oral presenter	25 January 2025 2:41 AM	Edit Delete

Example: Without attachment

When the status change to “Need Amendment”, author can view reviewer feedback under column “Review” and edit the manuscript accordingly. Amend directly by using the attachment provided by Reviewer

Dashboard navigation: [Dashboard](#) [+ New Manuscript](#) [My Profile](#) [Logout](#)

My Abstracts

Show entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	1. Amend sikit ya (Document)	Need Amendment	Oral presenter	25 January 2025 2:41 AM	1 Edit Delete

Showing 1 to 1 of 1 entries [Previous](#) [Next](#)

Example: With downable attachment

Dashboard My Profile Logout

Edit Manuscript Submit

Manuscript Information

Reliability and Validity of HbA1C Point-of-Care testing (Clover A1c)

Add Media Visual Text

Paragraph B I E E “ ” ↵ ↶ ↷ ↸ ↹ ↺ ↻

Summary

Point-of-care testing (POCT) is essential for on-site diagnosis and quicker turn-around time for treatment because of its portability and mobility. This study aimed to determine the reliability and validity of Clover A1c analyser in measuring blood HbA1C. Diagnostic performance was measured using sensitivity, specificity, positive predictive value (PPV) and negative predictive value (NPV). Good agreement could be seen in all parameters of measurements, although the agreement between capillary versus laboratory blood results showed a slightly better agreement. The Clover A1c analyser is a POCT analyser that is accurate and dependable and may be used in both clinical and public settings.

Keywords

Point-of-care testing (POCT), Clover A1c analyser, reliability, validity, HbA1C

Words Used: 0 Words Remaining: 1000

Point-of-care testing (POCT), Clover A1c analyser, reliability, validity, HbA1C

Manage Attachments

Sample of Extended Abstract 12NPHC.docx (0.02MB) Remove

Event Information

12th National Public Health Conference in conjunction with 26th NIH Scientific Conference

Topic

Epid (NCD/CD)

Attachments

Use this form to upload your images, photos or tables.

Supported formats: doc, docx

Maximum attachment size: 5MB

Choose File No file chosen

Choose File No file chosen

- Use track changes document for easy tracking
- REMOVE File & REPLACE with UPDATE latest file
- Rename file to “Amended <ddmmyyyy> <Abstract Title>”
- Attach FULL amended manuscript
- SUBMIT manuscript

My Abstracts

Show 10 entries

Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	<ol style="list-style-type: none">1. Please amend <recommendation / feedback>. Kindly rename file to *Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document)2. Please amend <recommendation / feedback>. Kindly rename file to *Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document)3. Please amend accordingly and resubmit before <date>. Refer attachment (Document)	Pending to Assign Reviewer	Oral presenter	25 January 2025 2:41 AM	1 Edit Delete

PROCESS	DETAILS	STATUS	NOTIFY BY EMAIL	DOCUMENT
Approve to Accept	<ul style="list-style-type: none"> - Status change by system from Under Review to Approve to Accept 	Approved to Accept	Acknowledge: Approve to Accept	
Proofread by Author	<ul style="list-style-type: none"> - Acknowledge the final formatted version - Add note or email to scientific@pppkam.org.my if you have any changes during this phase 	Proofread by Author		Formatted version with Publication ID: EPIDOPyyy/xxx EPIDPPyyy/xxx FHHMOPyyy/xxx FHHMPPyyy/xxx OHEHOPyyy/xxx OHEHPPyyy/xxx
Accepted by Admin	<ul style="list-style-type: none"> - Standby to prepare PPTX slide presentation or JPEG e-poster. - Publication link will be share during event 	Accepted by Admin	Notification: Manuscript Acceptance	
Rejected by Admin	<ul style="list-style-type: none"> - No further action need 	Rejected by Admin	Notification: Manuscript Rejection	

My Abstracts

Show 10 entries

Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	<ol style="list-style-type: none">1. Approved to proceed publication. Please wait until status change to "Proof Read by Author"2. Please amend <recommendation / feedback>. Kindly rename file to "Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document)3. Please amend accordingly and resubmit before <date>. Refer attachment (Document)	Proof Read by Author	Oral presenter	25 January 2025 2:41 AM	Edit Delete

Acknowledge the final formatted version in attachment and SUBMIT. Please email to scientific@pppkam.org.my if you have any changes at this phase to avoid error at publication stage

My Abstracts

Show 10 entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	<ol style="list-style-type: none"> 1. Please amend <recommendation / feedback>. Kindly rename file to "Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document) 2. Please amend <recommendation / feedback>. Kindly rename file to "Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document) 3. Please amend accordingly and resubmit before <date>. Refer attachment (Document) 	Pending to Assign Reviewer	Oral presenter	25 January 2025 2:41 AM	Edit Delete

Dashboard + New Manuscript My Profile Logout

My Abstracts

Show 10 entries Search:

ID	Title	Review	Status	Preference	Submit Date	Action
173	Reliability and Validity of HbA1C Point-of-Care testing (Clover Alc)	<ol style="list-style-type: none"> 1. Approved to proceed publication. Please wait until status change to "Proof Read by Author" 2. Please amend <recommendation / feedback>. Kindly rename file to "Amended <ddmmyyyy> <Abstract Title> by and submit within before <date> Refer attachment (Document) 3. Please amend accordingly and resubmit before <date>. Refer attachment (Document) 	Accepted to Publish by Admin	Oral presenter	25 January 2025 2:41 AM	View

Wait until status change from "Pending to Assign Reviewer" to "Accepted to Publish by Admin". Presenter also can start to prepare PPTX slide or JPEG e-Poster at this stage.

PROCESS	DETAILS
Presentation Submission	<ul style="list-style-type: none"> - Submit the presentation https://forms.gle/eJhx3CVhGNBwfMN27 - Deadline PPTX slide for oral presentation is before 30 June 2025. - Deadline JPEG e-poster before 20 June 2025. Include Poster ID at top left and logo at top right - Will reject both publication and presentation after the deadline
Slide Presentation (oral presenter)	<ul style="list-style-type: none"> - Presentation should be a brief discussion of a focused topic. - Each presenter will be given 7 minutes for presentation and 3 minutes for question and answer. - Use appropriate font size for the presentation.
E-Poster presentation	<ul style="list-style-type: none"> - E-poster should be in portrait orientation (Ratio 9:16), Resolution: 1920 x 1080. - The e-Poster should be in English only. - The presentation must cover important material that is presented on your accepted extended abstract. - Place the title of your paper at the top of the poster. Indicate the paper's title, authors' names, poster ID (left upper corner), and logo/photo (right upper corner). - Please underline the name of the presenting author. - Organize the paper, so it is self-explanatory.

CONTACT US



12th National Public Health Conference in conjunction with 26th NIH Scientific Conference

Contact Us	Email
General Enquiry & Registration	nphc@pppkam.org.my
Payment & Treasurer	treasury@pppkam.org.my
Scientific Committee	scientific@pppkam.org.my